EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	512	generating with table and input$5 with field with parameter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L2	38	generating with table and input$5 with field with (parameter value) and download$5 with (machine tool pump equipment component)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L3	198	generating with table and input$5 with field with (parameter value) and download$5 with (machine tool pump equipment component device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L4	2	generating with table and input$5 with field with (parameter value) and download$5 with (machine tool pump equipment component device) and (user with interface or gui or graphical with interface) and "700"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L5	7	generating with table (cell or field) and input$5 with field with (parameter value) and download$5 with (machine tool pump equipment component device) and (user with interface or gui or graphical with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L6	1	generating with table sAME (cell or field) and (cell field) and download$5 with (infusion) and (user with interface or gui or graphical with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L7	1	generating with table sAME (cell or field) and download$5 with (infusion) and (user with interface or gui or graphical with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L8	6	generating with table sAME (cell or field)	US-PGPUB;	OR	ON	2012/01/03

		and (infusion) and (user with interface or gui or graphical with interface)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:27
L9	638	table WITH (cell or field) and (infusion) and (user with interface or gui or graphical with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L10	86	table WITH (cell or field) and (infusion) and (user with interface or gui or graphical with interface) AND "600"/$.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L11	1	table WITH (cell or field) WITH (user with interface or gui or graphical with interface) AND "600"/$.CCLS. and (infusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L12	5	table WITH (cell or field) SAME (user with interface or gui or graphical with interface) AND "600"/$.CCLS. and (infusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L13	12	table WITH (cell or field) WITH (user with interface or gui or graphical with interface) AND (infusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L14	3	GENERATING WITH (field) WITH (user with interface or gui or graphical with interface) AND (infusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L15	0	GENERATING WITH TABLE WITH (user with interface or gui or graphical with interface) AND (infusion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L16	0	GENERATING WITH TABLE WITH (user with interface or gui or graphical with interface) AND (BOLUS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2012/01/03 12:27

			IBM_TDB			
L17	101	TABLE WITH (user with interface or gui or graphical with interface) AND (BOLUS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L18	313	"604"/$.CCLS. AND EXCEL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L19	36	"604"/$.CCLS. AND EXCEL AND BOLUS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L20	268	EXCEL WITH SPREADSHEET AND BOLUS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L21	268	(LOTUS EXCEL) WITH SPREADSHEET AND BOLUS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L22	58	(LOTUS EXCEL OR SPREADSHEET) AND BOLUS AND "604"/$.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L23	1	(LOTUS EXCEL OR SPREADSHEET) AND BOLUS AND "700"/$.CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L24	55	"707"/$.CCLS. AND BOLUS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L25	1	"707"/$.CCLS. AND BOLUS And spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	2012/01/03 12:27

			JPO; DERWENT; IBM_TDB			
L26	13	"707"/$.CCLS. AND infusion And spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L27	7	(medicine drug) adj pump and spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L28	7	(medicine drug) adj pump and spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L29	6094	(medicine drug) and spreadsheet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L30	923	(medicine drug) and spreadsheet and infusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L31	1908	(medicine drug) and spreadsheet same (computer adj interface or graphical adj interface or user interface or gui or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L32	1908	(medicine drug) and spreadsheet same (computer adj interface or graphical adj interface or user interface or gui or ui or graphical adj user interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L33	171	(medicine drug) and spreadsheet same (computer adj interface or graphical adj interface or user interface or gui or ui or graphical adj user interface) same field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L34	91	(medicine drug) and spreadsheet same (computer adj interface or graphical adj	US-PGPUB; USPAT;	OR	ON	2012/01/03 12:27

		interface or user interface or gui or ui or graphical adj user interface) same field same (input$5 or enter$5)	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L35	480	(medicine drug) and spreadsheet same (computer adj interface or graphical adj interface or user interface or gui or ui) and ("707"/$.ccls. or "604"/$.ccls. or "600"/$.ccls. or "700"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L36	214	(medicine drug) and spreadsheet same (computer adj interface or graphical adj interface or user interface or gui or ui) and ("707"/$.ccls. or "604"/$.ccls. or "600"/$.ccls. or "700"/$.ccls.) and download$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L37	0	user adj defined with schedul$5 adj name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L38	799	user adj defined adj name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L39	15	user adj defined adj name same schedul$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L40	0	user adj defined adj name with schedul$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L41	246	user adj defined adj name and schedul$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L42	3	user adj defined adj description same schedul$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27

L43	0	user adj defined adj name and schedul$5 and "700"/$/ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L44	36	user adj defined adj name and schedul$5 and "700"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L45	1	user adj defined adj name and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L46	832	user adj defined and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L47	6	user adj defined with description and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L48	1	user adj defined with description and infusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L49	2	user adj defined with label and infusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L50	1	user adj defined with label and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L51	354	user adj defined and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2012/01/03 12:27

			DERWENT; IBM_TDB			
L52	18	custom adj name and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L53	11	unique adj name and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L54	2	unique adj name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L55	0	schedle with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L56	30	schedule with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L57	0	entering with schedule with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L58	57	entering with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L59	36	entering with name and "604"/$.ccls. and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L60	34	entering with name and "604"/$.ccls. and infusion	US-PGPUB; USPAT; USOCR;	OR	ON	2012/01/03 12:27

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
L61	348	infusion near schedule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L62	4	infusion near schedule and schedule with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L63	18	entering with (cell or field) with name and bolus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L64	19	programming with infusion and selecting with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L65	23	custom with name with program and (basal or bolus or infustion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L66	76	user with name with program and (basal or bolus or infustion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L67	26	entering with user with name with schedule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L68	820	entering with user with new with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L69	397	entering with user with new with name	US-PGPUB;	OR	ON	2012/01/03

		and schedul$5	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			12:27
L70	3	entering with user with new with name and schedul$5 and "600"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L71	3	entering with user with new with name and schedul$5 and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L72	33	entering with name and schedul$5 and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L73	643	infusion with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L74	158	infusion with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L75	0	changing with infusion with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L76	7	modifying with infusion with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L77	7	infusion with name and "604"/$.ccls. and modifying with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2012/01/03 12:27

			IBM_TDB			
L78	11	infusion with name and "604"/$.ccls. and chang$5 with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L79	5	infusion with name and "604"/$.ccls. and save with as	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L80	0	saving with infusion with name and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L81	1	saving with new with infusion with name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L82	1	saving with new with name and infusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L83	1041	new with name and infusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L84	77	new with name and infusion and "604"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27
L85	1160	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13 L14 L15 L16 L17 L18 L19 L20 L21 L22 L23 L24 L25 L26 L27 L28 L29 L30 L31 L32 L33 L34 L35 L36 L37 L38 L39 L40 L41 L42 L43 L44 L45 L46 L47 L48 L49 L50 L51 L52 L53 L54 L55 L56 L57 L58 L59 L60 L61 L62 L63 L64 L65 L66 L67 L68 L69 L70 L71 L72 L73 L74 L75 L76 L77 L78 L79 L80 L81 L82 L83 L84) AND @PD>"20110328"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/01/03 12:27

1/ 3/ 2012 12:35:22 PM

C:\ Users\ jnorton\ Documents\ EAST\ Workspaces\ 10087449\ 1-3-11.wsp